

elliptipar[®] Quick Guide



Click product thumbnail to open its Data Sheet

 = Opens Quickfinder

(P) = Point
(L) = Linear

(I) = Integral Driver
(R) = Remote Driver

***** = Damp/natatorium option available

† = **Enscore**[®] standard and custom shrouds available

100 SERIES		200 SERIES		300 SERIES		400 SERIES		500 SERIES							
SURFACE MOUNT OUTDOOR		SURFACE MOUNT INDOOR		SEMI-RECESSED		CONCEALED		Enscore [®]		DIRECT/INDIRECT					
S150 (P,R) 	S151 (L,R) 	S100 (P,R) 	S106 (P,I) 	S120 (P,I) 	S122 (P,I) 	S204 (P,I)* 	S215 (P,I)* 	S314 (L,R)* 	S413 (P,I,R)† 	S403 (P,I,R)*† 	S416 (L,I,R) 	S511 (L,R) 	S530 (P,I) 		
S170 (P,I) 	S172 (P,I) 	S112 (L,R) 	S115 (L,R) 	S116 (L,R) 	S118 (L,R) 	S206 (P,I)* 	S222 (P,I)* 	S315 (L,I)* 	S414 (P,I,R) 	S404 (P,I,R) 	S417 (L,I,R) 	S513 (L,R) 	S531 (P,I) 		
S175 (L,I) 		S124 (P,I) 	S104 (P,I) 	S126 (P,I) 	S121 (P,I) 	S223 (P,I)* 	S224 (P,I) 	S316 (L,I)* 	S415 (P,I,R)† 	S409 (P,I)† 	S418 (L,I,R) 	S514 (L,R) 	S533 (P,I) 		
		S141 (P,I) 	S142 (P,I) 	S143 (P,I) 	S144 (L,I) 	S230 (P,I) 		S317 (L,I)* 		S410 (P,I)*† 	S419 (L,I,R) 	S516 (L,R) 	S518 (L,R) 		
								S330 (L,I) 	S318 (L,I)* 	S320 (L,I) 		G417 (L,I,R) 	G514 (L,I,R) 	G516 (L,I,R) 	G518 (L,I,R)

continuous linear GERMICIDAL

tambient® Quick Guide

Click product to open its
Data Sheet



= Opens Quickfinder

R = Remote Driver



DESK/FLOOR MOUNT


L305 R



L305M R



L306 R



electriX® Quick Guide



Click product thumbnail to
open its Data Sheet

 = Opens Product Info Page

P = Point

L = Linear

I = Integral Driver

R = Remote Driver

***** = Damp/natatorium
option available

INDOOR

OUTDOOR


LINEAR / ACCENT

SLOT & POCKET

COVE LUMINAIRES & LumiLedge® COVE FRAMING

OUTDOOR LINEAR IN-GRADE


L140 **L** **I**




L143 **L** **I**




R2 **L** **I**



R3 **L** **I**



S320 **L** **I**




LL5-FR




K5-FR



K5-FC-FR



LLSR-FR7




L140W **L** **R** *****




L126W **L** **I**




S2 **L** **I**



S3 **L** **I**



S323 **L** **I**




K8-FR



iLas2 Framing



S330 **L** **I**



MEYER® Quick Guide



Click product thumbnail to open its Data Sheet



= Opens Product Info Page





































Ⓟ = Point

Ⓛ = Linear

Ⓢ = Integral Driver

Ⓡ = Remote Driver

OUTDOOR

AREA	FACADE									IN-GRADE	
MSMDL ⓅⓈ Surface Downlight 	MONOF1 ⓅⓈ Monoflood 1 	MONOS1 ⓅⓈ Monospot-S1 	MONOM ⓅⓈ Monospot Mini 	MONO1 ⓅⓈ Monospot 1 	MRISE ⓅⓈ Highrise 	MARC-M ⓅⓈ Arclux Mini 	MEC-M ⓁⓈ Ecoline Mini 	MSPOT-B ⓅⓈ Nightspot B 	MIU135 ⓅⓈ Uplight 135 	MIU180 ⓅⓈ Uplight 180 	
MSL1 ⓅⓈ Superlight 1 	MONOF2 ⓅⓈ Monoflood 2 	MONOS2 ⓅⓈ Monospot-S2 	MONO2 ⓅⓈ Monospot 2 	MONO3 ⓅⓈ Monospot 3 	MGEM1 ⓅⓈ Gemini-1 	MARC ⓅⓈ Arclux 	MEC ⓁⓈ Ecoline 	MSPOT-B-GOBO Nightspot B ⓅⓈ 	MIU220 ⓅⓈ Uplight 220 	MIU250 ⓅⓈ Uplight 250 TightLock 	
MSL2 ⓅⓈ Superlight 2 	MONOF3 ⓅⓈ Monoflood 4 	MONOS3 ⓅⓈ Monospot-S3 	MONO4 ⓅⓈ Monospot 4 	MONO4-RGBW Monospot 4 ⓅⓈ 	MGEM2 ⓅⓈ Gemini-2 	MARC RGBW Arclux RGBW ⓅⓈ 	MECL ⓁⓈ Ecoline Linkable 	MSPOT-B RGBW Nightspot B ⓅⓈ 	MIU260 ⓅⓈ Uplight 260 	MUL600 ⓁⓈ Linear Uplight 600 	
MSL3 ⓅⓈ Superlight 3 	MONOF4 ⓅⓈ Monoflood 4 	MONOS4 ⓅⓈ Monospot-S4 	MHIGH ⓅⓈ Highline 